RALEC	LRE Series Metal Alloy Low-Resistance Resistor Product Specifications	Document. No	IE-SP-074
EE EE		Released Date	2021/01/01
		Page No.	1

1 Scope:

- 1.1 This specification is applicable to lead free and halogen free of RoHS directive for LRE series metal alloy low-resistance resistor.
- 1.2 The product is for general electronic purpose.

2 Explanation Of Part Numbers:

	<u>0603</u>		ئے	<u>R005</u>	ئے	
Туре	Size (inch)	Number of Terminals	Rated Power	Resistance (4~5 Digits)	Tolerance	Packaging
Metal Alloy Low Resistance Resistor	0402 0603 0805 1206	2: 2 terminals	P=1/6W H=1/5W G=1/4W F=1/3W E=3/4W C=1/2W 1=1.0W A=1.5W	EX: R0025 = 2.5 mΩ R005 = 5mΩ R010 = 10mΩ	D=±0.5% F=± 1.0% G=± 2.0% J=± 5.0%	5=5,000pcs TH=10,000pcs

	IE		QA	Remark	Lagua Dan DATA Conton
P 4 4	Checked	Approved	Signing	IT'S NOT UNDER CONTROL FOR PDF FILE	Issue Dep.DATA Center.
美松爹	-DECH	INCA -	王以尉	PLS NOTE THE VERSION STATED	Series No. 60
	\mathcal{U}	porter	1-11-11-0	Do not copy without permission	

Document No.IE-SP-074Released Date2021/01/01

Page No.

2

3 Product Specifications:


		Max.				Resistance	Range (mΩ)	Operating	
Туре	# of Terminals	Max. Rating Power	ting Current Current (pr	T.C.R. (ppm/°C)	D (±0.5%)	F (±1%) G (±2%) J (±5%)	Operating Temperature Range		
					\leq ±600		1.5≦ R <3		
		1/6W			\leq ±200		3		
		1/000			\leq ±125		4~5		
					\leq ±50		10		
					\leq ±600		1.5≦ R <3		
0400	2	1/5W			\leq ±200		3		
0402	2	1/500			\leq ±125		4~5		
					\leq ±50		10		
					\leq ±200		3		
		1/4W			\leq ±125		4~5		
					\leq ±50		10		
		1/3W			\leq ±50		10		
	2	4/014/			\leq ±450		1≦ R <4		
		1/3W			\leq ±50	10≦ R ≦60	4≦ R ≦60		
0603		1/2W	lr=√P/R	$lo=\sqrt{4P/R}$	\leq ±450		2≦ R <4	-55~+150°C	
					\leq ±50	$10 \le R \le 15$	4≦ R ≦15	1	
					\leq ±100		1.5≦ R <3		
	2	1/2W	1/2W			\leq ±75		3≦ R <5	
0005				F F	\leq ±50	5≦ R ≦70	5≦ R ≦70	-	
0805						\leq ±100		1.5≦ R <3	1
		3/4W			\leq ±75		3≦ R <5		
					\leq ±50	5≦ R ≦10	5≦ R ≦10		
					\leq ±400		1≦ R <2	-	
		1/2 W			\leq ±75		2≦ R <4	-	
4000	2				\leq ±50	4≦ R ≦56	4≦ R ≦56		
1206				-	\leq ±400		1≦ R <2		
		1 W			\leq ±75		2≦ R <4	-	
					≦ ± 50	4≦ R ≦56	4≦ R ≦56		

Remark

IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED.. Issue Dep.DATA Center.

RALEC	
旺詮	

3.1 Power Derating Curve: Operating Temperature Range: - 55 ~+150 ℃ For resistors operated in ambient temperatures 70°C, power rating shall be derated in accordance with the curve below:



Remark	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED	Issue Dep. DATA Center.
	Do not copy without permission	Series No. 60

RALEC

旺詮

Document No. IE-SP-074 Released Date

Page No.

2021/01/01 4

4 Physical Dimensions: 0402/0603/0805 1206 Bottom Top R005 W L **─**] ↓ H ΞŦ Power Resistance Туре Rating L W н **T1** Range (mQ) (Watts) 0.014 ± 0.004 0.010±0.004 1.5~5 0.039 ± 0.004 0.020 ± 0.004 1/6 & 1/5 10 (1.00 ± 0.10) (0.50±0.10) (0.35±0.10) (0.25±0.10) 0402 3~5 1/4 10 0.039 ± 0.004 0.020 ± 0.004 0.014±0.004 0.010±0.004 (0.35±0.10) (1.00±0.10) (0.50±0.10) (0.25±0.10) 1/3 10 1/3 1~60 0.063±0.008 0.031±0.008 0.014±0.004 0.012±0.006 0603 (0.80±0.20) (1.60±0.20) (0.35±0.10) (0.30±0.15) 1/2 2~15 1.5 0.08±0.008 0.05±0.008 0.014±0.004 0.02±0.006 1/2 & 3/4 2 (0.50±0.15) (2.032 ± 0.20) (1.270 ± 0.20) (0.35 ± 0.10) 2.5 0805 1/2 3~70 0.08±0.008 0.05±0.008 0.014±0.004 0.014±0.008 (2.032±0.20) (1.270±0.20) (0.35±0.10) (0.35±0.20) 3/4 3~10 0.035±0.008 $1 \leq R < 3$ (0.90 ± 0.20) 0.028±0.008 3≦**R**<4 (0.70±0.20) 0.126±0.008 0.063±0.008 0.016±0.008 0.014±0.008 1206 1/2 & 1 $4 \leq R \leq 10$ (3.20±0.20) (1.60 ± 0.20) (0.40 ± 0.20) (0.35±0.20) 0.028±0.008 $11 \leq R \leq 21$ (0.70±0.20) 0.014±0.008 $22 \leq R \leq 56$ (0.35 ± 0.20)

Remark	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED	Issue Dep. DATA Center.
		Series No. 60

Document No.IE-SP-074Released Date2021/01/01

Page No.

5

4.1 Material of Alloy

Туре	Watts	Material	Resistance
LRE0402	1/6W 1/5W 1/4W 1/3W	Copper-Manganese Alloy	1.5mΩ≤R≤10mΩ
LRE0603	1/3W 1/2W	Copper-Manganese Alloy	$1m\Omega \le R < 25m\Omega$
LKE0003		Iron-Chromium Aluminium Alloy	$25m\Omega \le R \le 60m\Omega$
LRE0805	1/2W 3/4W	Copper-Manganese Alloy	1.5mΩ≤R≤20mΩ
LREU005		Iron-Chromium Aluminium Alloy	$21m\Omega \le R \le 70m\Omega$
	1/2W	Copper-Manganese Alloy	$1m\Omega \le R \le 10m\Omega$
		Iron-Chromium Aluminium Alloy	11mΩ≤R≤56mΩ
LRE1206	1\\/	Copper-Manganese Alloy	1mΩ≤R≤10mΩ
	1W	Iron-Chromium Aluminium Alloy	11mΩ≤R≤56mΩ

Remark	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED	Issue Dep. DATA Center.
		Series No. 60

RALEC

旺詮

LRE Series Metal Alloy Low-Resistance Resistor Product Specifications

Document No.IE-SP-074Released Date2021/01/01

Page No.

6

5 Reliability Performance:

5.1 Electrical Performance:

Test Item	Conditions of Test Test Limits					
Temperature Coefficient of Resistance (TCR)	• $TCR (ppm/^{\circ}C) = \frac{(R2-R1)}{R1 (T2-T1)} \times 10^{6}$ • $R1: resistance of room temperature$ • $R2: resistance of 150 ^{\circ}C$ • $T1: Room temperature$ • $T2: Temperature at 150 ^{\circ}C$					
	• Refer to JIS C 5201-1 4.8					
Short Time Overload	Applied Overload for 5 seconds and release the load for about 30 minutes, then measure its resistance variance rate. (Overload condition refer to below): $\leq \pm 0.5\%$ TypePower (W)# of rated power04021/6 & 1/5 & 1/4 & 1/34 times06031/3 & 1/24 times08051/2 & 3/44 times12061/2 & 1.04 timesRefer to JIS C 5201-1 4.134 times					
Insulation Resistance	Put the resistor in the fixture, add 100 VDC in + ,- terminal for 60secs then measured the insulation resistance between electrodes and insulating enclosure or between electrodes and base material. Refer to JIS-C5201-1 4.6					
Dielectric Withstanding Voltage	Applied 300VAC for 1 minute, and Limit surge current50 mA (max.)Refer to JIS-C5201-1 4.7					

5.2 Mechanical /Constructional Performance:

Test Item	Conditions of Test	Test Limits
Resistance to Solder Heat	The tested resistor be immersed 25 mm/sec into molten solder of 260±5°C for 10±1secs. Then the resistor is left in the room for 1 hour, and measured its resistance variance rate. Refer to JIS-C5201-1 4.18	$\leq \pm 0.5\%$ No evidence of mechanical damage
Solderability	Add flux into tested resistors, immersion into solder bath in temperature $245\pm5^{\circ}$ C for 3 ± 0.5 secs. Refer to JIS-C5201-1 4.17	Solder coverage over 95%
Vibration	The resistor shall be mounted by its terminal leads to the supporting terminals on the solid table. The entire frequency range :from 10 Hz to 55 Hz and return to 10 Hz, shall be transferred in 1 min. Amplitude : 1.5mm This motion shall be applied for a period of 4 hours in each 3 mutually perpendicular directions (a total of 12hrs) Refer to JIS-C5201-1 4.22	$\leq \pm 0.5\%$ No evidence of mechanical damage
Resistance to solvent	The tested resistor be immersed into isopropyl alcohol of $20\sim25^{\circ}$ C for 60secs, then the resistor is left in the room for 48 hrs. Refer to JIS-C5201-1 4.29	

Remark	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED	Issue Dep. DATA Center.
		Series No. 60
	Do not copy without permission	Series No.00

RALEC

旺詮

Document No.IE-SP-074Released Date2021/01/01

Page No.

7


5.3 Environmental Performance:

Test Item	Conditions of Test	Test Limits
Low Temperature Exposure	Put the tested resistor in chamber under temperature $-55\pm2^{\circ}$ for 1,000 hours. Then leaving the tested resistor in room temperature for 60 minutes, and measure its	$\leq \pm 0.5\%$ No evidence of mechanical damage
(Storage)	resistance variance rate. Refer to JIS-C5201-1 4.23.4	
	Put tested resistor in chamber under temperature	≦±1.0%
High Temperature Exposure (Storage)	$150\pm5^{\circ}$ C for 1,000 hours. Then leaving the tested resistor in room temperature for 60 minutes , and measure its resistance variance rate. Refer to JIS-C5201-1 4.23.2	No evidence of mechanical damage
	Put the tested resistor in the chamber under the	≦±1.0%
	shall be repeated 1,000 times (0603 & 0402 for 300 times)consecutively. Then leaving the tested resistor in the room temperature for 60 minutes, and measure its resistance variance rate.	No evidence of mechanical damage
	Lowest Temperature -55 +0/-10℃ Highest Temperature 150 +10/-0℃ Refer to JIS-C5201-1 4.19 150 +10/-0℃	
	Put the tested resistor in chamber and subject to 10	≦±0.5%
Moisture Resistance (Climatic Sequence)	cycles of damp heat and without power. Each one of which consists of the steps 1 to 7 (Figure 1). Then leaving the tested resistor in room temperature for 24 hr, and measure its resistance variance rate. Refer to MIL-STD 202 Method 106	No evidence of mechanical damage
	Put the tested resistor in chamber under $85\pm 5^{\circ}$ and $85\pm 5^{\circ}$ and $85\pm 5^{\circ}$ RH with 10% bias and load the rated voltage for 90 minutes on, 30 minutes off, total 1,000 hours. Then leaving the tested resistor in room temperature for 60 minutes, and measure its resistance variance rate. Refer to JIS-C5201-1 4.24	$\leq \pm 1.0\%$ No evidence of mechanical damage

5.4 Operational Life Endurance:

Test Item	Conditions of Test	Test Limits
Load Life	Put the tested resistor in chamber under temperature $70\pm 2^{\circ}$ C and load the rated voltage for 90 minutes on 30 minutes off, total 1000 hours. Then leaving the tested resistor in room temperature for 60 minutes, and	≦±1.0%
	measure its resistance variance rate. Refer to JIS-C5201-1 4.25	

Remark	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED	Issue Dep. DATA Center.
		Series No. 60
	Do not copy without permission	Series No. OO



RALEC	I PE Sorios Motal Alloy Low Posistance	Document No.	IE-SP-074				
	LRE Series Metal Alloy Low-Resistance Resistor Product Specifications	Released Date	2021/01/01				
		Page No.	9				
6.1 LF 6.2 LF	LE 詮 Resistor Product Specifications						
6.3 Ma	arking Style by Laser:						
Туре	Marking R m 1 2 3 4 5	6 7 8	9 0				
	1206 Rm 12345(378	90				
《EX》	Marking \rightarrow R005 = 5 m Ω						
R005							
Remark	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED		ATA Center.				
	Do not copy without permission	Series No.	0				

								Deeu	mont				
RALEC	LRE	Series	Metal	Alloy	Low-	Resista	nce		ment N		E-SP-074 21/01/01		
旺詮	Resistor Product Specifications								Released Date Page No.		10		
								Fa	ge No.		10		
7 Plating	g Thick	(ness:											
	_≧2μm												
7.2 Sn(Tin)∶≧	3μm											
7.3 Sn(Tin):Ma	atte Sn											
8 Measu	iremen												
Ļ		Bottom	electrode	e			[Unit : m	ım		
	-		Α	-		TYPE	DIM	А		В			
								0 05+0 0	\F	0 00+0 0	F		
	$ \bullet $					LRE04	02	0.65±0.0	0	0.20±0.0	5		
	\odot			Θ	B	LRE06	03	1.25±0.0)5	0.30±0.0	5		
							<u>.</u>	4 0510 0	_				
		• Curre	ent Termina	1		LRE08	05	1.65±0.0	15	0.70±0.0	5		
		- Volta	age Termina	1		LRE12	06	2.70±0.0	95	0.40±0.05			
9 Taping	j speci	ficatior	ns:										
9.1 Tape	e Dimen	sions:											
			φ 1.5 +0.1	- 	P0					T2	_		
			, 				,	 					
	(-Æ	<u> </u>		Ċ)	}_(<u> </u>					
		$\neg +$	$ \forall$ $-$	\downarrow	۲ ب	/		ш ! _					
~													
æ	٦ <u> </u>		╞┚└╴		1								
-					1		/_	<u> </u>					
e			- P -	P1	1		/_	<u> </u>					
				┼╼═──┺╾┤		FFD	/	<u> </u>	(F		
~		└ ₃		┼╼═──┺╾┤	F_F	EED	/_	<u> </u>	(CARRIE TAPE	F		
		L_ 3		┼╼═──┺╾┤	DF F	EED	/_	¥	(CARRIE Tape			
Litem		 3 B		┼╼═──┺╾┤	- DF F	EE D T1	/_ 	P	P0	CARRIE Tape			
ДІМ		В		E	F	T1			P0	CARRIE Tape	Unit: mm		

		Do not copy without permission				-Series No. 60						
emai	k		IT'	S NOT UNE PLS NOT	DER CONTI E THE VER					Issue D	ep. DATA	Center.
	1206	3.50±0.20	1.90±0.20	8.00±0.20	1.75±0.10	3.50±0.05	0.60+0.2/-0	0.60±0.05	4.00±0.10	4.00±0.10	40.0±0.20	2.00±0.05
	0805	2.30±0.10	1.55±0.10	8.00±0.20	1.75±0.10	3.50±0.05	0.40+0.2/-0	0.40±0.05	4.00±0.10	4.00±0.10	40.0±0.20	2.00±0.05

R


Page No.

11

9.2 Packaging model:

Turne	Topo width	Max. Packaging Quantity (pcs/reel)			
Туре	Tape width	2 mm pitch	4 mm pitch		
0402	8 mm	10,000pcs			
0603	8 mm		5,000pcs		
0805	8 mm		5,000pcs		
1206	8 mm		5,000pcs		

9.3 Reel Dimensions:




Unit: mm

						Onit: mini
Reel Type / Tape	w	М	А	В	С	D
7" reel for 8 mm tape	12.00± 0.5	178 ± 1.0	2.0 ± 0.5	13.2 ± 0.5	17.7 ± 0.5	60.0 ± 1.0

Remark	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED	Issue Dep.DATA Center.
		Series No. 60
	Do not copy without permission	Series No.

10 Technical application notes: (This is for recommendation, please customer perform adjustment according to actual application)

- 10.1 Recommend soldering method:
- 10.1.1 This product is applicable to IR-reflow process only.(Infrared Reflow)
- 10.1.2 Typical examples of soldering processes that provides reliable joints without any damage are given in below:




Recommended IR Reflow Soldering Profile MEET J-STD-020D

10.1.3 Soldering Iron: temperature $350^{\circ}C \pm 10^{\circ}C$, dwell time shall be less than 3 sec.

Remark	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED	Issue Dep.DATA Center.
	Do not copy without permission	Series No. 60

10.2 Recommend Land Pattern:

When a component is soldered, the resistance after soldering changes slightly depending on the size of the soldering area and the amount of soldering. When designing a circuit, it is necessary to consider the effect of a decrease or increase in its resistance.



Туре	Power Rating	Resistance Range (m Ω)	Dimensions - millimeters			
Type	(Watts)		а	b	i	
	1/6 & 1/5	1.5~5 \ 10	0.65	0.50	0.50	
0402	1/4	3~5 \ 10	0.65	0.50	0.50	
	1/3	10	0.65	0.50	0.50	
0603	1/3	1~ 60	1.00	1.27	0.50	
0003	1/2	2~15	1.00	1.27	0.50	
0805	1/2	1.5 ~ 70	1.45	1.78	0.66	
0805	3/4	1.5 ~ 10	1.45	1.78	0.66	
		1≦R<3			0.60	
1206	1/2 & 1.0	3≦R<4	1.65	2.18	0.90	
		4≦R≦56			1.00	

10.3 The characteristic of Fe/Cr/Al alloy material:

Because of including magnetism, inductor will be generated under high frequency circuit then to cause value shift and influence customer application. If there is related application shall be noted especially or discuss with original factory.

Remark	IT'S NOT UNDER CONTROL FOR PDF FILE	Issue Dep. DATA Center.
		Series No. 60
	Do not copy without permission	Series No.

10.4 Environment Precautions:

This specification product is for general electronic use, RALEC will not be responsible for any damage, cost or loss caused by using this specification product in any special environment. If other applications need to confirm with RALEC.

If consumer intends to use our Company product in special environment or condition (including but not limited to those mentioned below), then will need to make individual recognition of product features and reliability accordingly.

- (a) Used in high temperature and humidity environment
- (b) Exposed to sea breeze or other corrosive gas, such as Cl2 · H2S · NH3 · SO2 and NO2.
- (c) Used in non-verified liquids including water, oil, chemical and organic solvents.

(d) Using non-verified resin or other coating material to seal or coat our Company product. After soldering, it is necessary to use water-soluble detergents to clean residual solder fluxes, even though no-clean fluxes are recommended.

10.5 Momentary Overload Precautions:

The product might be out of function when momentary overloaded. Please make sure to avoid momentary overloading while using and preserving.

10.6 Operation and Processing Precautions:

- (a) Avoid damage to the edge of resistor and protective layer caused by mechanical stress.
- (b) Handle with care when printing circuit board (PCB) is divided or fixed on support body, because bending of printing circuit board (PCB) mounting will make mechanical stress for resistors.
- (c) Make sure the power rating is under the limit when using the resistor. When power rating is over the limit, the resister will be overloaded. There might be machinery damage due to the climbing temperature.
- (d) If the resister will be exposed under massive impact load (shock wave) in a short period of time, the working environment must be set up well before use.
- (e) Please make evaluation and confirmation when the product is well used in your company and have a through consideration of it's fail-safe design to ensure the system safety.

Remark	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED	Issue Dep. DATA Center.
		Series No.60
	Do not copy without permission	

11 Storage and transportation requirement:

- 11.1 The temperature condition must be controlled at $25\pm5^{\circ}$ C, the R.H. must be controlled at $60\pm15\%$. The stock can maintain quality level in two years \circ
- 11.2 Please avoid the mentioned harsh environment below when storing to ensure product performance and its' weldability. Places exposed to sea breeze or other corrosive gas, such as Cl2 < H2S < NH3 < SO2 and NO2.
- 11.3 When the product is moved and stored, please ensure the correct orientation of the box. Do not drop or squeeze the box. Otherwise, the electrode or the body of the product may be damaged.

12 Attachments:

12.1 Document Revise Record (QA-QR-027)

Remark	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED.	Issue Dep.DATA Center.
		Series No.60
	Do not copy without permission	Series NO.UU

Legal disclaimer

RALEC, its distributors and agents (collectively, "RALEC"), hereby disclaims any and all liabilities for any errors, inaccuracies or incompleteness contained in any product related information, including but not limited to product specifications, datasheets, pictures and/or graphics. RALEC may make changes, modifications and/or improvements to product related information at any time and without notice.

RALEC makes no representation, warranty, and/or guarantee about the fitness of its products for any particular purpose or the continuing production of any of its products. To the maximum extent permitted by law, RALEC disclaims (i) any and all liability arising out of the application or use of any RALEC product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for a particular purpose, non-infringement and merchantability.

RALEC defined this product is for general electrical use , not design for any application for automotive electrical ,life-saving or life support equipment, or any application which may inflict casualties if RALEC product failure occurred. When consumer is using or selling products of RALEC without having discussion with the sales representatives and specifically stated the applicability mentioned above in a written form, then the client need to take a full responsibility and agree to protect RALEC from punishment and damage.

Information provided here is intended to indicate product specifications only. RALEC reserves all the rights for revising this content without further notification, as long as products are unchanged. Any product change will be announced by ECN.

Remark	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED	Issue Dep.DATA Center.
		Series No. 60
	Do not copy without permission	